(Please verify part number with vendor or GraybaR prior to ordering)

rev 7 dated 2/6/2020

CHATSWORTH PART NUMBERS		
CHATSWORTH 2'X2'X2' Wall Mount Rack, Black (Plexi Door)		
Wall Cabinet; 19"W x 24"H x 24"D; Black; 12 RMU; Top Panel - Solid;		
Rail Type - Tapped 12-24; Sides, Front Door - Rear Door - Wall Mount.		
Man. # 11900-724 GraybaR # 22003110		
CHATSWORTH 2'X2'X2' Wall Mount Rack, Black	CHATSWORTH 2'X2'X4' Wall Mount Rack, Black	
Wall Cabinet; 19"W x 24"H x 24"D; Black; 12 RMU; Top Panel - Solid;	Wall Cabinet; 19"W x 48"H x 24"D; Black; 26 RMU; Top Panel - Solid;	
Rail Type - Tapped 12-24; Sides, Front Door - Rear Door - Wall Mount.	Rail Type - Tapped 12-24; Sides, Front Door - Rear Door - Wall Mount.	
Man. # 11840-724 GraybaR # 99565474	Man. # 11840-748 GraybaR # 22058849	
CHATSWORTH Fan Kit 100 CFM 115 VAC, Black	CHATSWORTH 19 In Relay Rack, Black	
Cube-iT PLUS 100 CFM 115 V AC, 50/60 Hz and NEMA 5-15P Fan kit.	Standard Two-Post Relay Rack, 45 RMU, 19" W x 7' H x 3" D, Black.	
Man. # 12804-701 GraybaR # 22058882	Man. # 55053-703 GraybaR # 94058665	
CHATSWORTH 10" Wide Vert Rack Mount Cbl Mgrs	CHATSWORTH Horz Mgr Dbl Univ 1U 19 In	
MCS Master Cabling Section; 10"W x 7'H x 15.75"D; Black with 4 cable	Black 1 RU Universal Horizontal Cable Manager-Double Sided; 19"W x	
distributing spools.	1.75'H; Black.	
Man. # 30096-703 GraybaR # 99834670	Man. # 30529-719 GraybaR # 22077351	
CIRCA PART NUMBERS		
CIRCA Connector, 25 pair OSP	CIRCA Connector, 50 pair OSP	
25 Pair Building Entrance Terminal with splice chamber.	50 Pair Building Entrance Terminal with splice chamber.	
Man. # 1880B1-25 GraybaR # Call	Man. # 1880B1-50 GraybaR # Call	
CIRCA Connector, 100 pair OSP	CIRCA 3B1E Protector Module	
100 Pair Building Entrance Terminal with splice chamber.	5 pin black gas plug, 350 Volts, gold pins.	
Man. # 18980B1-100 GraybaR # Call	Man. # 3B1E GraybaR # Call	
CORNING OPTICAL PART NUMBERS		
	CORNING OPTICAL (CCH) with adapter (SM)	
	CCH-CP24-A9 Closet Connector Housing (CCH) Panel, LC adapters, Du-	
	plex, 24 fiber, singlemode (OM2) panels.	
	Man. # CCH-CP124-A9 GraybaR # 22054975	
<b>CORNING OPTICAL Closet Connector Housing</b> 1 RU Closet Connector Housing (CCH) holds up to two CCH adapter	CORNING OPTICAL (CCH) with adapter (MM) CCH-CP12-D3 Closet Connector Housing (CCH) Panel, LC adapters, Du-	
panel. Comes with blank panels and strain relief.	plex, 12 fiber, 50 µm multimode (OM2) panels.	
Man. # CCH-01U GraybaR # 225415405	Man. # CCH-CP12-D3 GraybaR # 22109243	
CORNING OPTICAL Pretium Connector Housing	CORNING OPTICAL (CCH) with adapter (SM)	
PCH-04U Premium Connector Housing, 4 rack units, holds 12 CCH con-	CCH-CP12-A9 Closet Connector Housing (CCH) Panel, LC adapters, Du-	
	cert et 12 //s eloset connector housing (cert) i unel, ce udupters, bu	
nector panels. Rack only.	plex, 12 fiber, singlemode (OM2) panels.	
Man. # PCH-04U GraybaR # 22085202	plex, 12 fiber, singlemode (OM2) panels. Man. # CCH-CP12-A9 GraybaR # 22054973	
Man. # PCH-04UGraybaR # 22085202CORNING OPTICAL Housing, Single Panel, Wall Mount	plex, 12 fiber, singlemode (OM2) panels.Man. # CCH-CP12-A9GraybaR # 22054973CORNING OPTICAL LC Unicam (SM)	
Man. # PCH-04U         GraybaR # 22085202           CORNING OPTICAL Housing, Single Panel, Wall Mount           SPH-01P Single-Panel Housing, wall-mountable, holds 1 CCH connector	plex, 12 fiber, singlemode (OM2) panels. Man. # CCH-CP12-A9 GraybaR # 22054973 CORNING OPTICAL LC Unicam (SM) UniCam® Connector, LC, 50 μm multimode (OM3/OM4 compatible)	
Man. # PCH-04UGraybaR # 22085202CORNING OPTICAL Housing, Single Panel, Wall MountSPH-01P Single-Panel Housing, wall-mountable, holds 1 CCH connectorpanel with splice options for Single Fiber and Ribbon Splices.	plex, 12 fiber, singlemode (OM2) panels. Man. # CCH-CP12-A9 GraybaR # 22054973 CORNING OPTICAL LC Unicam (SM) UniCam® Connector, LC, 50 μm multimode (OM3/OM4 compatible) Factory-polished end face.	
Man. # PCH-04UGraybaR # 22085202CORNING OPTICAL Housing, Single Panel, Wall MountSPH-01P Single-Panel Housing, wall-mountable, holds 1 CCH connectorpanel with splice options for Single Fiber and Ribbon Splices.Man. # SPH-01PGraybaR # 25671435	plex, 12 fiber, singlemode (OM2) panels.Man. # CCH-CP12-A9GraybaR # 22054973CORNING OPTICAL LC Unicam (SM)UniCam® Connector, LC, 50 μm multimode (OM3/OM4 compatible)Factory-polished end face.Man. # 95-050-99GraybaR # 22110796	
Man. # PCH-04UGraybaR # 22085202CORNING OPTICAL Housing, Single Panel, Wall MountSPH-01P Single-Panel Housing, wall-mountable, holds 1 CCH connectorpanel with splice options for Single Fiber and Ribbon Splices.Man. # SPH-01PGraybaR # 25671435CORNING OPTICAL LC Unicam (SM)	plex, 12 fiber, singlemode (OM2) panels. Man. # CCH-CP12-A9 GraybaR # 22054973 CORNING OPTICAL LC Unicam (SM) UniCam® Connector, LC, 50 μm multimode (OM3/OM4 compatible) Factory-polished end face. Man. # 95-050-99 GraybaR # 22110796 CORNING OPTICAL 24 Count (SM) Fiber OSP	
Man. # PCH-04UGraybaR # 22085202CORNING OPTICAL Housing, Single Panel, Wall MountSPH-01P Single-Panel Housing, wall-mountable, holds 1 CCH connectorpanel with splice options for Single Fiber and Ribbon Splices.Man. # SPH-01PGraybaR # 25671435	plex, 12 fiber, singlemode (OM2) panels.Man. # CCH-CP12-A9GraybaR # 22054973CORNING OPTICAL LC Unicam (SM)UniCam® Connector, LC, 50 μm multimode (OM3/OM4 compatible)Factory-polished end face.Man. # 95-050-99GraybaR # 22110796	
Man. # PCH-04UGraybaR # 22085202CORNING OPTICAL Housing, Single Panel, Wall MountSPH-01P Single-Panel Housing, wall-mountable, holds 1 CCH connectorpanel with splice options for Single Fiber and Ribbon Splices.Man. # SPH-01PGraybaR # 25671435CORNING OPTICAL LC Unicam (SM)UniCam High-Performance Connector, LC, Single-mode (OS2), ceramic	plex, 12 fiber, singlemode (OM2) panels. Man. # CCH-CP12-A9 GraybaR # 22054973 CORNING OPTICAL LC Unicam (SM) UniCam® Connector, LC, 50 μm multimode (OM3/OM4 compatible) Factory-polished end face. Man. # 95-050-99 GraybaR # 22110796 CORNING OPTICAL 24 Count (SM) Fiber OSP 24 Count OSP ALTOS Loose tube fiber for outdoor and duct installations.	
Man. # PCH-04UGraybaR # 22085202CORNING OPTICAL Housing, Single Panel, Wall MountSPH-01P Single-Panel Housing, wall-mountable, holds 1 CCH connectorpanel with splice options for Single Fiber and Ribbon Splices.Man. # SPH-01PGraybaR # 25671435CORNING OPTICAL LC Unicam (SM)UniCam High-Performance Connector, LC, Single-mode (OS2), ceramicferrule, logo, single pack, blue housing, blue boot.	plex, 12 fiber, singlemode (OM2) panels. Man. # CCH-CP12-A9 GraybaR # 22054973 CORNING OPTICAL LC Unicam (SM) UniCam® Connector, LC, 50 μm multimode (OM3/OM4 compatible) Factory-polished end face. Man. # 95-050-99 GraybaR # 22110796 CORNING OPTICAL 24 Count (SM) Fiber OSP 24 Count OSP ALTOS Loose tube fiber for outdoor and duct installations. Single-mode (OS2) NEC Article 770.	
Man. # PCH-04UGraybaR # 22085202CORNING OPTICAL Housing, Single Panel, Wall MountSPH-01P Single-Panel Housing, wall-mountable, holds 1 CCH connectorpanel with splice options for Single Fiber and Ribbon Splices.Man. # SPH-01PGraybaR # 25671435CORNING OPTICAL LC Unicam (SM)UniCam High-Performance Connector, LC, Single-mode (OS2), ceramicferrule, logo, single pack, blue housing, blue boot.Man. # 95-200-99GraybaR # 25314196CORNING OPTICAL 48 Count (SM) Fiber OSP48 Count OSP ALTOS Loose tube fiber for outdoor and duct installa-	plex, 12 fiber, singlemode (OM2) panels. Man. # CCH-CP12-A9 GraybaR # 22054973 CORNING OPTICAL LC Unicam (SM) UniCam® Connector, LC, 50 μm multimode (OM3/OM4 compatible) Factory-polished end face. Man. # 95-050-99 GraybaR # 22110796 CORNING OPTICAL 24 Count (SM) Fiber OSP 24 Count OSP ALTOS Loose tube fiber for outdoor and duct installations. Single-mode (OS2) NEC Article 770. Man. # S-OP-24-LT-A-3U-BK-SIC-B-CUT REEL GraybaR # 25843899 96 Count OSP ALTOS Loose tube fiber for outdoor and duct installations.	
Man. # PCH-04UGraybaR # 22085202CORNING OPTICAL Housing, Single Panel, Wall MountSPH-01P Single-Panel Housing, wall-mountable, holds 1 CCH connectorpanel with splice options for Single Fiber and Ribbon Splices.Man. # SPH-01PGraybaR # 25671435CORNING OPTICAL LC Unicam (SM)UniCam High-Performance Connector, LC, Single-mode (OS2), ceramicferrule, logo, single pack, blue housing, blue boot.Man. # 95-200-99GraybaR # 25314196CORNING OPTICAL 48 Count (SM) Fiber OSP48 Count OSP ALTOS Loose tube fiber for outdoor and duct installa- tions. Single-mode (OS2) NEC Article 770.	plex, 12 fiber, singlemode (OM2) panels. Man. # CCH-CP12-A9 GraybaR # 22054973 CORNING OPTICAL LC Unicam (SM) UniCam® Connector, LC, 50 μm multimode (OM3/OM4 compatible) Factory-polished end face. Man. # 95-050-99 GraybaR # 22110796 CORNING OPTICAL 24 Count (SM) Fiber OSP 24 Count OSP ALTOS Loose tube fiber for outdoor and duct installations. Single-mode (OS2) NEC Article 770. Man. # S-OP-24-LT-A-3U-BK-SIC-B-CUT REEL GraybaR # 25843899 96 Count OSP ALTOS Loose tube fiber for outdoor and duct installations. Single-mode (OS2) NEC Article 770.	
Man. # PCH-04UGraybaR # 22085202CORNING OPTICAL Housing, Single Panel, Wall MountSPH-01P Single-Panel Housing, wall-mountable, holds 1 CCH connectorpanel with splice options for Single Fiber and Ribbon Splices.Man. # SPH-01PGraybaR # 25671435CORNING OPTICAL LC Unicam (SM)UniCam High-Performance Connector, LC, Single-mode (OS2), ceramicferrule, logo, single pack, blue housing, blue boot.Man. # 95-200-99GraybaR # 25314196CORNING OPTICAL 48 Count (SM) Fiber OSP48 Count OSP ALTOS Loose tube fiber for outdoor and duct installa- tions. Single-mode (OS2) NEC Article 770.Man. # S-OP-48-LT-A-3U-BK-SIC-B-CUT REELGraybaR # 25843903	plex, 12 fiber, singlemode (OM2) panels. Man. # CCH-CP12-A9 GraybaR # 22054973 CORNING OPTICAL LC Unicam (SM) UniCam® Connector, LC, 50 μm multimode (OM3/OM4 compatible) Factory-polished end face. Man. # 95-050-99 GraybaR # 22110796 CORNING OPTICAL 24 Count (SM) Fiber OSP 24 Count OSP ALTOS Loose tube fiber for outdoor and duct installations. Single-mode (OS2) NEC Article 770. Man. # S-OP-24-LT-A-3U-BK-SIC-B-CUT REEL GraybaR # 25843899 96 Count OSP ALTOS Loose tube fiber for outdoor and duct installations. Single-mode (OS2) NEC Article 770. 96 Count OSP ALTOS Loose tube fiber for outdoor and duct installations. Single-mode (OS2) NEC Article 770. Man. # S-OP-96-LT-A-4E-BK-SIC-8-CUT REEL GraybaR # 25449125	
Man. # PCH-04UGraybaR # 22085202CORNING OPTICAL Housing, Single Panel, Wall MountSPH-01P Single-Panel Housing, wall-mountable, holds 1 CCH connectorpanel with splice options for Single Fiber and Ribbon Splices.Man. # SPH-01PGraybaR # 25671435CORNING OPTICAL LC Unicam (SM)UniCam High-Performance Connector, LC, Single-mode (OS2), ceramicferrule, logo, single pack, blue housing, blue boot.Man. # 95-200-99GraybaR # 25314196CORNING OPTICAL 48 Count (SM) Fiber OSP48 Count OSP ALTOS Loose tube fiber for outdoor and duct installa- tions. Single-mode (OS2) NEC Article 770.Man. # S-OP-48-LT-A-3U-BK-SIC-B-CUT REELGraybaR # 25843903CORNING OPTICAL 12 Count (SM) Fiber Indoor/Outdoor	plex, 12 fiber, singlemode (OM2) panels. Man. # CCH-CP12-A9 GraybaR # 22054973 CORNING OPTICAL LC Unicam (SM) UniCam® Connector, LC, 50 μm multimode (OM3/OM4 compatible) Factory-polished end face. Man. # 95-050-99 GraybaR # 22110796 CORNING OPTICAL 24 Count (SM) Fiber OSP 24 Count OSP ALTOS Loose tube fiber for outdoor and duct installations. Single-mode (OS2) NEC Article 770. Man. # S-OP-24-LT-A-3U-BK-SIC-B-CUT REEL GraybaR # 25843899 96 Count OSP ALTOS Loose tube fiber for outdoor and duct installations. Single-mode (OS2) NEC Article 770. Man. # S-OP-96-LT-A-4E-BK-SIC-8-CUT REEL GraybaR # 25449125 CORNING OPTICAL 24 Count (SM) Fiber Indoor/Outdoor	
Man. # PCH-04UGraybaR # 22085202CORNING OPTICAL Housing, Single Panel, Wall MountSPH-01P Single-Panel Housing, wall-mountable, holds 1 CCH connectorpanel with splice options for Single Fiber and Ribbon Splices.Man. # SPH-01P GraybaR # 25671435CORNING OPTICAL LC Unicam (SM)UniCam High-Performance Connector, LC, Single-mode (OS2), ceramicferrule, logo, single pack, blue housing, blue boot.Man. # 95-200-99GraybaR # 25314196CORNING OPTICAL 48 Count (SM) Fiber OSP48 Count OSP ALTOS Loose tube fiber for outdoor and duct installa- tions. Single-mode (OS2) NEC Article 770.Man. # S-OP-48-LT-A-3U-BK-SIC-B-CUT REELGraybaR # 25843903CORNING OPTICAL 12 Count (SM) Fiber Indoor/Outdoor12 Count FREEDM LST Loose tube fiber for indoor/outdoor plenum	Man. # 2CH-CP12-A9GraybaR # 22054973OGRNING OPTICAL LC Unicam (SM)UniCam® Connector, LC, 50 μm multimode (OM3/OM4 compatible) Factory-polished end face.Man. # 95-050-99GraybaR # 22110796CORNING OPTICAL 24 Count (SM) Fiber OSP24 Count OSP ALTOS Loose tube fiber for outdoor and duct installations. Single-mode (OS2) NEC Article 770.Man. # S-OP-24-LT-A-3U-BK-SIC-B-CUT REELGraybaR # 25843899CORNING OPTICAL 96 Count (SM) Fiber OSP96 Count OSP ALTOS Loose tube fiber for outdoor and duct installations. Single-mode (OS2) NEC Article 770.Man. # S-OP-96-LT-A-4E-BK-SIC-8-CUT REELGraybaR # 25449125CORNING OPTICAL 24 Count (SM) Fiber Jober96 Count OSP ALTOS Loose tube fiber for outdoor and duct installations. Single-mode (OS2) NEC Article 770.Man. # S-OP-96-LT-A-4E-BK-SIC-8-CUT REELGraybaR # 25449125CORNING OPTICAL 24 Count (SM) Fiber Indoor/Outdoor24 Count FREEDM LST Loose tube fiber for indoor/outdoor plenum in-	
Man. # PCH-04UGraybaR # 22085202CORNING OPTICAL Housing, Single Panel, Wall MountSPH-01P Single-Panel Housing, wall-mountable, holds 1 CCH connectorpanel with splice options for Single Fiber and Ribbon Splices.Man. # SPH-01PGraybaR # 25671435CORNING OPTICAL LC Unicam (SM)UniCam High-Performance Connector, LC, Single-mode (OS2), ceramicferrule, logo, single pack, blue housing, blue boot.Man. # 95-200-99GraybaR # 25314196CORNING OPTICAL 48 Count (SM) Fiber OSP48 Count OSP ALTOS Loose tube fiber for outdoor and duct installa- tions. Single-mode (OS2) NEC Article 770.Man. # S-OP-48-LT-A-3U-BK-SIC-B-CUT REELGraybaR # 25843903CORNING OPTICAL 12 Count (SM) Fiber Indoor/Outdoor	plex, 12 fiber, singlemode (OM2) panels. Man. # CCH-CP12-A9 GraybaR # 22054973 CORNING OPTICAL LC Unicam (SM) UniCam® Connector, LC, 50 μm multimode (OM3/OM4 compatible) Factory-polished end face. Man. # 95-050-99 GraybaR # 22110796 CORNING OPTICAL 24 Count (SM) Fiber OSP 24 Count OSP ALTOS Loose tube fiber for outdoor and duct installations. Single-mode (OS2) NEC Article 770. Man. # S-OP-24-LT-A-3U-BK-SIC-B-CUT REEL GraybaR # 25843899 96 Count OSP ALTOS Loose tube fiber for outdoor and duct installations. Single-mode (OS2) NEC Article 770. Man. # S-OP-96-LT-A-4E-BK-SIC-8-CUT REEL GraybaR # 25449125 CORNING OPTICAL 24 Count (SM) Fiber Indoor/Outdoor	

(Please verify part number with vendor or GraybaR prior to ordering)

rev 7 dated 2/6/2020

LEVITON PART NUMBERS		
LEVITON QuickPort eXtreme Cat6 Jack, Blue 4 Pair Blue jack 8 Position 8 Conductor, T568A and T568B compatible. Man. # 61110-RL6 GraybaR # 22068152	LEVITON QuickPort eXtreme Cat6 Jack, Yellow4 Pair Yellow jack 8 Position 8 Conductor, T568A and 568B compatible.Man. # 61110-RY6GraybaR # 22068153	
LEVITON QuickPort eXtreme Cat6 Jack, White 4 Pair White jack 8 Position 8 Conductor, T568A and T568B compatible. Man. # 61110-RW6 GraybaR # 22068146	LEVITON QuickPort eXtreme Cat6 Jack, Orange4 Pair Orange jack 8 Position 8 Conductor, T568A and 568B compatible.Man. # 61110-RO6GraybaR # 22068151	
LEVITON Blank Wall plate, 1 Gang, WhiteSingle gang white blank faceplate.Man. # 88014GraybaR # 88158547	LEVITON 12 Port Wall plate, 2 Gang, WhiteDouble Gang 12 Port Face Plate with ID Windows.Man. # 42080-12WGraybaR # 97252791	
LEVITON 6 Port Wall plate, 1 Gang, WhiteSingle Gang 6 Port Face Plate with ID Windows.Man. # 42080-6WSGraybaR # 97252918	LEVITON 1 Port Wall Phone Faceplate, 1 Gang, Stainless SteelSingle Gang 1 Port Wall Phone Face Plate.Man. # 4108W-SPGraybaR # 25034386	
LEVITON Modular Furniture Faceplate         QuickPort Modular Furniture Faceplate, 4-Port, White, Includes 1 Blank         Insert, Compatible with Steelcase, Haworth, HON, and Others.         Man. # 49910-SW4         GraybaR # 22038380	LEVITON Snap in BlanksQuickPort white blank inserts for unused opening. Package of 10Work on all Leviton QuickPort faceplates.Man. # 41084-BWBGraybaR # 92142916	
LEVITON Cat6 Patch Cord 5 Foot, Yellow Yellow eXtreme® standard Cat 6+ UTP patch cord- 5 feet. Color matched cable and boot. Man. # 62460-5Y GraybaR # 22068182	LEVITON Cat6 Patch Cord 5 Foot, Blue         Blue eXtreme® standard Cat 6+ UTP patch cord- 5 feet. Color matched         cable and boot.         Man. # 62460-5L         GraybaR # 22068176	
LEVITON Cat6 Patch Cord 10 Foot, BlueBlue eXtreme® standard Cat 6+ UTP patch cord- 10 feet. Colormatched cable and boot.Man. # 62460-10LGraybaR # 22068193	LEVITON Cat6 Patch Cord 7 Foot, YellowYellow eXtreme® standard Cat 6+ UTP patch cord- 7 feet. Color matchedcable and boot.Man. # 62460-7YLGraybaR # 22068190	
LEVITON Cat6 Patch Cord 15 Foot, Blue Blue eXtreme® standard Cat 6+ UTP patch cord- 15 feet. Color matched cable and boot. Man. # 62460-15L GraybaR # 22068202	LEVITON Cat6 Patch Cord 10 Foot, Yellow         Yellow eXtreme® standard Cat 6+ UTP patch cord- 10 feet. Color         matched cable and boot.         Man. # 62460-10Y         GraybaR # 22068200	
LEVITON Cat6 Patch Cord 25 Foot, Blue Blue eXtreme® standard Cat 6+ UTP patch cord- 25 feet. Color matched cable and boot. Man. # 62460-25L GraybaR # 25263985	LEVITON Cat6 Patch Cord 15 Foot, Yellow         Yellow eXtreme® standard Cat 6+ UTP patch cord- 15 feet. Color         matched cable and boot.         Man. # 62460-15Y    GraybaR # 22068209	
LEVITON Flat Patch Panel 48P Mod 2U 48 Port High density flat patch panel. Includes Rear Wire Management. Requires 2U. Man. # 49255-H48 GraybaR # 97250605	LEVITON Cat6 Patch Cord 15 Foot, Yellow         Yellow eXtreme® standard Cat 6+ UTP patch cord- 15 feet. Color         matched cable and boot         Man. # 62460-15Y         GraybaR # 22068209	
LEVITON Angled Patch Panel 48P Mod 2U 48 Port High density Angled patch panel. Includes Rear Wire Manage- ment. Requires 2U. Man. # 49256-H48 GraybaR # 22057412	LEVITON 2 RU Front Only Horz Cbl Mgnt         Versi-Duct Horizontal cable Management. Requires 2u, cover included in kit.         Man. # 492RU-HFO       GraybaR # 25013610	
LEVITON LD10 Coupler Fitting, White, Pkg of 10         LD10 coupler for connecting duct pieces together.         Man. # CFX10WH-X       GraybaR # 95071518	LEVITON LD10 Coupler Fitting, White, Each         Double Gang 12 Port Face Plate with ID Windows.         Man. # 42080-12W         GraybaR # 97252791	
LEVITON LD10 Inside Corner Fitting, White, Qty 1 LD10 inside corner coupler for connecting duct pieces together. Man. # ICFC10WH-X GraybaR # 95010490	LEVITON LD10 Outside Corner Coupler Fitting, White Qty 1 LD10 outside corner coupler for connecting duct pieces together. Man. # OCF10WH-X GraybaR # 88198406	
LEVITON LD10 Right Angle Fitting, White, Qty 1LD10 right angle corner coupler for connecting duct pieces together.Man. # RAFC10WH-XGraybaR # 95010486	LEVITON LD10 Drop Ceiling Fitting, White Pkg of 10LD10 drop ceiling coupler for connecting duct pieces to ceiling.Man. # DCF10WH-XGraybaR # 89088486	

(Please verify part number with vendor or GraybaR prior to ordering)

rev 7 dated 2/6/2020

PANDUIT PART NUMBERS		
PANDUIT LD10 Latch Duct 8 FT         LD10 1 each 8 foot piece of latching surface mount with factory applied adhesive backing.         Man. # LD10IW8-A       GraybaR # 97112737	PANDUIT LD10 Latch Duct 6 FT         LD10 1 each 6 foot piece latching surface mount with factory applied         adhesive backing.         Man. # LD10WH6-A         GraybaR # 88198226	
PANDUIT LD10 Double Gang Outlet Box         LD10 Two-piece screw together deep outlet box. For use with LD raceway. 5.19"L x 5.19"W x 2.75"H (131.9mm x 131.9mm x 69.8mm).         Man. # LD10IW8-A       GraybaR # 99423761	PANDUIT LD10 2 Piece Single Gang Outlet Box         LD10 Single gang two-piece snap together outlet box with adhesive back         ing. For use with LD . 5.00"L x 3.26"W x 1.62"H.         Man. # JBX3510WH-A       GraybaR # 92138808	
LEVITON LD10 Coupler Fitting, White, Pkg of 10 LD10 coupler for connecting duct pieces together. Man. # CFX10WH-X GraybaR # 95071518	LEVITON LD10 Coupler Fitting, White, Each         Double Gang 12 Port Face Plate with ID Windows.         Man. # 42080-12W       GraybaR # 97252791	
LEVITON LD10 Inside Corner Fitting, White, Qty 1LD10 inside corner coupler for connecting duct pieces together.Man. # ICFC10WH-XGraybaR # 95010490	LEVITON LD10 Outside Corner Coupler Fitting, White Qty 1LD10 outside corner coupler for connecting duct pieces together.Man. # OCF10WH-XGraybaR # 88198406	
LEVITON LD10 Right Angle Fitting, White, Qty 1LD10 right angle corner coupler for connecting duct pieces together.Man. # RAFC10WH-XGraybaR # 95010486	LEVITON LD10 Drop Ceiling Fitting, White Pkg of 10LD10 drop ceiling coupler for connecting duct pieces to ceiling.Man. # DCF10WH-XGraybaR # 89088486	
SUPERIOR ESSEX PART NUMBERS		
SUPERIOR ESSEX Cat6 Station Cable, Blue         4 Pair Blue NeXT Gain Category 6eX plenum rated station cable.         Man. # 6EXHP4P24-BL-S-ESS-AP       GraybaR # 99847852	SUPERIOR ESSEX Cat6 Station Cable, Yellow         4 Pair Yellow NeXT Gain Category 6eX plenum rated station cable.         Man. # 6EXHP4P24-YL-S-ESS-AP       GraybaR # 99847862	
SUPERIOR ESSEX Cat6 Station Cable, White         4 Pair White NeXT Gain Category 6eX plenum rated station cable.         Man. # 6EXHP4P24-WH-S-ESS-AP       GraybaR # 99847856	SUPERIOR ESSEX Cat6 Station Cable, Orange 4 Pair Orange NeXT Gain Category 6eX plenum rated station cable. Man. # 6EXHP4P24-OR-P-ESS-AP-CE GraybaR # 25253442	
SUPERIOR ESSEX 25 Pair OSP Cable25 Pair 24 AWG Cat3 SEALPIC RDUP PE-89 Outside plant cable.Man. # DB-25P24-AL-89-ESS-CUT REELGraybaR # 25105265	SUPERIOR ESSEX 50 Pair OSP Cable50 Pair 24 AWG Cat3 SEALPIC RDUP PE-89 Outside plant cable.Man. # DB-50P24-AL-89-ESS-CUT REELGraybaR # 22065103	
SUPERIOR ESSEX 100 Pair OSP Cable100 Pair 24 AWG Cat3 SEALPIC RDUP PE-89 Outside plant cable.Man. # DB-100P24-AL-89-ESS-CUT REELGraybaR # 25105260		
3M PART NUMBERS		
<ul> <li>3M Buried Enclosure Kit</li> <li>Rigid body splice closures designed for direct burial. When filled with</li> <li>3M™ High-Gel Re-enterable Encapsulating Compound 8882.</li> <li>Man. # BB2X12-8882/HIGHGEL</li> <li>GraybaR # 22076525</li> </ul>	<b>3M SLiC Building Riser Closure Kit</b> 100 Pair or less interior building riser splice case. Single port end capsmust be ordered separately. (Replaces 3M R-3 Kit)Man. # SLIC-2.2X19-SES <b>GraybaR #</b> 96059462	
3M Solid Conductor Butt connectors         Yellow, 22-26 AWG, Cable: Type PIC, Component Type: Connector, Composition: Filled, Flame Retardant: No, Insulation Outside Diameter: 0.06 Inch         Man. # UY(BX)       GraybaR # 25199611	3M R-3 Building Riser Closure Kit         300 Pair or less interior building riser splice case. Single port end caps         must be ordered separately.         Man. # R-3         GraybaR # Call         (If available)	

MOHAWK PART NUMBERS		
MOHAWK Versalan Indoor/Outdoor CAT6 UT	P	
4 Pair cable for use in buildings, wet locations and s	uitable for use out-	
door in ducts. It is water blocked and has a sunlight resistant jacket.		
Man. # 610-4P24-BK-R-MOH-NR	GraybaR # 25090921	

Г

(Please verify part number with vendor or GraybaR prior to ordering)

rev 7 dated 2/6/2020

STI FIRESTOP DEVICES			
FIRESTOP EZ Path Retrofit Device, 4-	FIRESTOP EZ Path Retrofit Device, 4-Inch Conduit		
Restore rating for overfilled cable sleeve protection. Built-in fire and		For high volume pathway device for penetrating walls and floors without	
smoke sealing system. Designed for 4-inch conduit. One pair (2)		the need for firestopping. 4"X14", complete with wall plates and labels.	
Man. # EZDR400	GraybaR # 25869011	Man. # EZDP44S2	GraybaR # 25834670
FIRESTOP EZ Path Retrofit Device, 2-	nch Conduit	FIRESTOP EZ Path Series 33, (square wall plates)	
Restore rating for overfilled cable sleeve p	protection. Built-in fire and	For high volume pathway device for penetrating walls and floors without	
smoke sealing system. Designed for 2-inch conduit. One pair (2)		the need for firestopping. 3"X10.5", complete with wall plates and labels.	
Man. # EZDR200	GraybaR # 25869010	Man. # EZDP33FWS	GraybaR # 22073693
FIRESTOP EZ-Firestop Grommet, (small) Pkg of 10 FIRESTOP EZ Path Series 3		FIRESTOP EZ Path Series 33, (circu	lar wall plates)
Two-piece split cable grommet for single	cable penetration up to .27"	For high volume pathway device for penetrating walls and floors without	
diameter (7mm). 1 Pack, 10 Grommets pe	neter (7mm). 1 Pack, 10 Grommets per pack. the need for firestopping. 3"X10.5", complete with wall plates a		mplete with wall plates and labels.
Man. # RFG1	GraybaR # 25266478	Man. # EZDP133CWK	GraybaR # 25060540
FIRESTOP EZ-Firestop Grommet, (larg	e) Pkg of 10	FIRESTOP EZ Path Series 22, (square wall plates)	
Two-piece split cable grommet for single	or multiple cable penetration	For high volume pathway device for penetrating walls and floors without	
up to .53" diameter (14mm). 1 Pack, 10 Grommets per pack. the need for firestopping. 1.5"X10.5", complete with wall p		complete with wall plates & labels.	
Man. # RFG2	GraybaR # 25360607	Man. # EZD22	GraybaR # 22119963

MISC PART NUMBERS			
ARLINGTON 2 GANG LOW VOLTAGE PLATE MUD RING		HOFFMAN TELEPHONE CABINET WOOD PANEL	
Mounting Bracket. 2-Gang, Low Voltage. For use with Low Voltage Class		Hoffman ATC12R145 Telephone Cabinet, Wood Panel,	
2 Applications. For existing Construction. Includes: Swing Arms.		12.00X14.00X5.00 Steel Gray.	
Man. # ARL LV2	GraybaR # 97188198	Man. # ATC12R145	GraybaR # 25019230
HOFFMAN 26 X 24 T-3 TELEPHONE CABINET		ENDOT 1.25" SMOOTH WALL INNER DUCT	
Hoffman Enclosures Including ATC26R248 T3-Box Telephone Cabinet,		Conduit, Diameter 1-1/4 Inch, Wall Type SDR 13.5, Configuration	
Type 3R		Smooth Outside/Smooth Inside, Color Orange, Pull Line Polyester Tape,	
Man. # ATC26R248	GraybaR # Call	3500 ft. Man. # IDR16637170214	GraybaR # Call